



MYSTIC/MYSTIC LIGHT/BREEZE




Mystic Cream




Mystic Light Ivory



Breeze Candlelight




Blanco Bright White




Arctic Frost Polar White



Candlelight Ivory



Suede Snow




Talc Cream

Mystic/Mystic Light/Breeze Expanded & Non-Woven Marine Vinyls The Synergy of Performance & Style



Oyster




Manatee



Armadillo




Silver Grey



Hemp



Stetson



Silver Spur



Pewter



Putty



Newport Gold



Cloud Grey



Fog



Oatmeal



Alabaster Grey



English Green



Brite Teal



Camelback



Platinum



Emerald



Bahama Green



Hudson Green



Indigo



Grape



Nile Blue



Jungle Teal



Veridian



Denim



Crimson



Aqua



Amethyst



Cabernet



Chinese Red




Periwinkle



Orchid



Apache



Sunshine



Sailor Blue



Royal Purple



Ultramarine



Ebony

Mystic, Mystic Light and Breeze are the synergy of performance and style. These vinyls inspire creativity and meet the most rigorous durability requirements in the marine industry - offering contemporary fashion, styling and strength.

Mystic, Mystic Light and Breeze represent the next step in the evolution of seating technology and provide unsurpassed value in today's increasing demanding marketplace. They deliver the best in style, feel and durability without compromise.

Mystic, Mystic Light and Breeze are technologically advanced, performance engineered, comprehensively crafted and ideal for marine, RV and automotive seating and trim for interior and exterior seating.

MAIN PROPERTIES & SPECIFICATIONS

- * Flame Retardency: Classified as self-extinguishing according with SAE J 369 Jan. 94. Manufactured to meet: Motor Vehicle Standard 302 and California Tech Bulletin 117.
- * Abrasion Resistance: Protected with special finish to conform to: MF-MH BN 8.2, Wyzenbeek / CFFA-1 Federal Standard 191A. Method 5304.
- * UV Light Resistance: Protected with special agents and formulated with UV light resistant pigments, with over: 1,000 Hours Ultraviolet Resistance.
- * Mildew Resistance: Back & Face protected to conform with ASTM G21
- * Heat Sealable.
- * Can be treated for FAR Specification.
- * Topcoat Lacquered with TAS-1 Advanced Vinyl Protection
- * TAS 1: All products are efficiently protected from external elements by this fantastic topcoat. It offers excellent UV protection, abrasion resistance and cleanability.
- * Cleaning & Maintenance: *Information available upon request.

MYSTIC SPECIFICATIONS

Weight: 30 Oz./1. yd.
Thickness: 44 Mils.
Width: 54 Inches
Breaking Strength: (ASTM D-751) 100 Lb/In.
Tear Strength: (MF-MH BN 22.1) 22 Lbs.
Cold Crack: (MF-MH BN 128.01) -10 °F
Backing: 100% Knitted Polyester

MYSTIC LIGHT SPECIFICATIONS

Weight: 26 Oz./1. yd.
Thickness: 37 Mils.
Width: 54 Inches
Breaking Strength: (ASTM D-751) 100 Lb/In.
Tear Strength: (MF-MH BN 22.1) 22 Lbs.
Cold Crack: (MF-MH BN 128.01) -10 °F
Backing: 100% Knitted Polyester

BREEZE SPECIFICATIONS

Weight: 21 Oz./1. yd.
Thickness: 44 Mils.
Width: 54 Inches
Breaking Strength: (ASTM D-751) 85 Lb/In.
Tear Strength: (MF-MH BN 22.1) 20 Lbs.
Cold Crack: (MF-MH BN 128.01) -10 °F
Backing: 100% Non-Woven Needlepunch

NANO BLOCK TECHNOLOGY™ (NBT) CAN BE SPECIFIED

Nanotechnology is the science of manipulating materials at the atomic and molecular level to develop new or enhanced materials and products. We are the first coated fabrics manufacturer to use and offer this Nanotechnology to the Marine industry, employing Nano-Particles that offer you far superior performance characteristics in the vinyl product category.

NBTTM Marine has a Nano UV inhibitor that protects your vinyl upholstery up to three times longer than conventional finishes -- maintaining and preserving the color longer than ever before. It also forms a protective barrier against abrasions, grease, grime, sun tan oils, and even gasoline.

Our NBTTM Marine, represents the next generation protective coating for all your upholstery vinyl needs with the Marine market. Contact us today to discover more about this revolutionary product and to have your vinyl products specified with NBT.

THREE-YEAR VINYL WARRANTY

Syntec Industries offers a limited warranty to our customer if our marine-grade vinyl fails during normal use due to defects in materials or workmanship within three years from the date of purchase. Syntec will arrange for the repair or replacement of the product. This warranty specifically excludes

(A) product abuse or neglect, (B) deterioration due to the use of improper cleaning materials or procedures, (C) damage caused by improper installation or the failure of other seat and/or trim parts, (D) degradation due to the presence of amines in adjacent urethane foam cushioning or (E) staining resulting from mildew growth on adjacent boat components, bleeding from adjacent boat components or contact with suntan lotion.

Syntec makes no other warranty, express or implied, including any implied warranty of merchantability or fitness for a particular purpose, which is expressly disclaimed.

Syntec's entire liability shall not be greater than the repair or replacement of the product and shall in no event extend to any incidental or consequential claim, loss or expense. Syntec customers should submit any warranty claims to the address below.

Syntec Industries
P.O. Box 1653 Rome, GA 30162-1653
Attn: Technical Service

Syntec will respond promptly to a claim. Vinyl must be available for inspection by an authorized representative of Syntec for analysis before any settlement.